

ENGINEERING DATASHEET

EVEREADY BATTERY CO. Internet: www.energizer.com


1-800-383-7323 / USA 1-800-383-7323 / CANADA

+ 44 (0) 208 920 2306 / EUROPE

ENERGIZER NO. EPX76



Industry Standard Dimensions in mm (inches)



Chemical System: Silver Oxide (Zn/Ag20)

Designation: ANSI / NEDA-1107SOP, IEC-SR44

Battery Voltage: 1.55 Volts

Average Weight: 2.3 grams (0.08 oz.)


Volume: 0.57 cubic centimeters (0.035 cubic inch)

Average Capacity: 200 mAh to 0.9 volts

(Rated at 6.5k ohms continuous at 21°C)

TYPICAL DISCHARGE CURVE

Simulated Test @ 21°C (70°F)



DESIGNED SPECIFICALLY FOR PHOTO USE

(+)

Simulated Application Test Estimated Average Service at 21°C (70°F)

	Typical Drains at 1.55V	Load	Cutoff Voltage
Schedule:	(milliamperes)	(ohms)	0.9V
24 hours/day	0.238	6,500	840 Hours

INTERNAL RESISTANCE: Closed circuit voltage no less than 1.30 volts on a load of 100 ohms at 21°C (70°F) for 0.1 to 2.0 seconds.

Important Notice

This data sheet contains information specific to batteries manufactured at the time of its publication.

Contents herein do not constitute a warranty.

Copyright © Eveready Battery Co. Inc. - All Rights Reserved

Form No. EBC - 4347C Page 1 of 1