

Interactive HDTV cable STB processor with integrated front-end


Data brief

Features

- DOCSIS/EuroDOCSIS 2.0 cable modem with support for DOCSIS 3.0 down-stream channel bonding
- Integrates three cable receiver/demodulators with 12-bit ADC IF interface and one cable transmitter with 14-bit DAC output
- Dual core architecture
- Linux[®] compatible
- Firmware-based multi-standard HD video decoder for:
 - H.264 / MPEG-4 AVC HP@L4
 - MPEG-2 MP@HL
 - SMPTE VC-1 AP@L3
- Firmware-based multi-standard audio processor for:
 - MPEG-1 I/II/III (MP3), MPEG-2 ACC (AAC-LC)
 - MPEG-4 HE AAC (aacPlus)
- Dolby[®] Digital (AC-3), Dolby Digital Plus
- Firmware-based programmable transport stream (PTI) processor
- DVR support, and trick play modes
- Dual display HD and SD
- 2D Blitter graphics with video mosaic support
- Multi-level layered security
- Interfaces include USB, Ethernet, HDMI[™], eSATA
- Single port 10/100 fast Ethernet transceiver

Description

The STiH225 is an interactive HDTV set-top box device, with an embedded DOCSIS cable modem capable of providing DOCSIS set-top gateway (DSG), interactive multimedia and internet access for the digital cable market. STiH225 device can be used as a mini gateway for the home network.



1 Introduction

The STiH225 is a highly integrated system-on-chip (SoC) designed to meet the demanding need of the interactive cable set-top box market. The STiH225 integrates all the major system functions into a single device, and provides world leading, multi-layer, advanced security technologies to protect valuable video and audio assets.

Features

Combines a cable transceiver and ITU-T J.83 A/B/C demodulator with STB decoding and display functions

Integrates EuroDOCSIS/DOCSIS 2.0 cable modems with support for DOCSIS 3.0 downstream channel bonding

Serial Flash-based secure boot and code storage; 35 mm x 35 mm x 2.30 mm PBGA package

ST40 applications CPU,
32 K I cache, 32 K D cache

STMicroelectronics' DELTA video decoding system with ST231 processor

Dual USB 2.0 hosts, dual Ethernet MAC with one PHY compatible with MII/RMII and GMII

Advanced 2D graphics and display subsystem

Benefits

This highly integrated SoC helps to reduce board area and manufacturing cost, allowing cost-effective and small-size STBs to be designed for ITU-J.83 A/B/C (DVB-C, SARFT, SCTE-40) networks

The embedded EuroDOCSIS and DOCSIS cable modems are capable of providing DOCSIS set-top gateway, interactive multimedia and internet access for the digital cable market

Enables further BOM optimization and cost reduction of advanced decoding SD STBs

Superscalar performance from a single CPU core, using standard tools and operating systems (Linux)

Decoding of advanced standard definition MPEG2, H.264 and VC-1/WMV9 streams, with the performance and flexibility for web-based content decoding such as Flash, DivX, MJPEG, XviD and Real

Extensive high-speed connectivity for the widest range of STB peripherals, such as Flash drives, external HDDs, home network controllers (for example MoCA, Wi-Fi), memory cards

Allows visually appealing user interfaces and video-rich navigation to be offered to consumers, while high-quality progressive output can be watched on the latest displays

2 Revision history

Table 1. Document revision history

Date	Revision	Changes
14-Oct-2011	1	Initial release.
24-Oct-2011	2	Minor content changes.
11-Nov-2011	3	<ul style="list-style-type: none">– Updated the reference to DVB-C to ITU-T J.83 A/B/C in the block diagram <i>on page 1</i>– Updated the reference to DVB-C to ITU-J.83 A/B/C (DVB-C, SARFT, SCTE-40) in the Features & Benefits table <i>on page 2</i>

Please Read Carefully:

Information in this document is provided solely in connection with ST products. STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and services described herein at any time, without notice.

All ST products are sold pursuant to ST's terms and conditions of sale.

Purchasers are solely responsible for the choice, selection and use of the ST products and services described herein, and ST assumes no liability whatsoever relating to the choice, selection or use of the ST products and services described herein.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted under this document. If any part of this document refers to any third party products or services it shall not be deemed a license grant by ST for the use of such third party products or services, or any intellectual property contained therein or considered as a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein.

UNLESS OTHERWISE SET FORTH IN ST'S TERMS AND CONDITIONS OF SALE ST DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY WITH RESPECT TO THE USE AND/OR SALE OF ST PRODUCTS INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE (AND THEIR EQUIVALENTS UNDER THE LAWS OF ANY JURISDICTION), OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.

UNLESS EXPRESSLY APPROVED IN WRITING BY TWO AUTHORIZED ST REPRESENTATIVES, ST PRODUCTS ARE NOT RECOMMENDED, AUTHORIZED OR WARRANTED FOR USE IN MILITARY, AIR CRAFT, SPACE, LIFE SAVING, OR LIFE SUSTAINING APPLICATIONS, NOR IN PRODUCTS OR SYSTEMS WHERE FAILURE OR MALFUNCTION MAY RESULT IN PERSONAL INJURY, DEATH, OR SEVERE PROPERTY OR ENVIRONMENTAL DAMAGE. ST PRODUCTS WHICH ARE NOT SPECIFIED AS "AUTOMOTIVE GRADE" MAY ONLY BE USED IN AUTOMOTIVE APPLICATIONS AT USER'S OWN RISK.

Resale of ST products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by ST for the ST product or service described herein and shall not create or extend in any manner whatsoever, any liability of ST.

ST and the ST logo are trademarks or registered trademarks of ST in various countries.

Information in this document supersedes and replaces all information previously supplied.

The ST logo is a registered trademark of STMicroelectronics. All other names are the property of their respective owners.

© 2011 STMicroelectronics - All rights reserved

STMicroelectronics group of companies

Australia - Belgium - Brazil - Canada - China - Czech Republic - Finland - France - Germany - Hong Kong - India - Israel - Italy - Japan - Malaysia - Malta - Morocco - Philippines - Singapore - Spain - Sweden - Switzerland - United Kingdom - United States of America

www.st.com