

All rights strictly reserved. Reproduction or use in any form, in any medium, without the written authority from the proprietor is prohibited. Property of C. BERG ELECTRONICS. Copyright BERG ELECTRONICS by [Logo] 1997.

PRODUCT NO.
 SEE NOTE ④




FIG.1

mat'l code		tolerance unless otherwise specified		CUSTOMER COPY		BERG ELECTRONICS	
rev	ecn no.	dr	date	linear	0.0 ± 0.2	projection	title
A	175022	AC	5/27/97	0.00 ± 0.15			2X120 PCI CONN.
				angles	± 2'		product family
		dr	AELLEN, C	5/27/97	unit		code
		engr	AELLEN, C	5/27/97	mm/inch		TWN
		chr	CL CHEN	5/27/97	scale	A3	sheet
		appd	CL CHEN	5/27/97			1 OF 2
sheet	revision	A	A				
index	sheet	1	2				

All rights strictly reserved. Reproduction or issue to third parties in any form, without the written authority from the proprietor BERG ELECTRONICS. Copyright BERG ELECTRONICS by D.

PRODUCT NO	DEC. NO
SEE NOTE ⑤	





FIG. 2



SECTION V-V

- NOTE
- HOUSING MATERIAL: POLYPHENYLENE SULFIDE-40% GLASS.
COLOR- WHITE
 - TERMINAL MATERIAL: COPPER ALLOY.
PLATING:
-1.0UM(40u") NICKEL UNDERPLATING OVERALL.
-2.0UM(80u") TIN/LEAD, 90/10 IN SOLDER TAIL.
-GOLD FLASH IN CONTACT AREA.
 - CURRENT RATING : 1 AMPERE.
 - TEMPERATURE RANGE : -55°C TO +85°C
 - RETENTION FORCE: 0.6 lb MIN.

- ⑤ ORDERING DATA:
- 61705- X X X XXX
- POS (184)
 - PEG DESIGN
P: PLASTIC
M: METAL CLIP
 - SOLDERING TYPE
S: STRADLE MOUNT TYPE (SEE FIG.1)
T: THRU HOLE TYPE (SEE FIG.2)
 - PLATING :
0: GOLD FLASH
1: 10u" GOLD. (IN CONTACT AREA)
4: 40u" PdNi (IN CONTACT AREA)

mat'l code		tolerance unless otherwise specified		CUSTOMER COPY	BERG ELECTRONICS	
rev	ec'n no	dr	date	linear	projection	title
A	175022	AC	5/27/97	.0 ± 0.20 .00 ± 0.15 .000 ± 0.05		2X92 PCI CONN.
				angles ± 2°		
		dr	AELLEN.C	5/27/97	unit	product family
		enr	AELLEN.C	5/27/97	mm/inch	size
		chr	CL CHEN	5/27/97	scale	dwg no.
		appd	CL CHEN	5/27/97		A3
sheet	revision	A			61705	code
index	sheet	1				TWN
						sheet
						2 OF 2