



75 Ohm BNC Male Connector Clamp/Solder Attachment for RG6

RF Connectors Technical Data Sheet

PE4597

RFQ

- BNC Male Connector
- 75 Ohms
- Straight Body Geometry
- RG6 Interface Type
- Clamp/Solder Attachment

W

- Gold Plated Contact

\$\$\$OLFDRO

- General Purpose Test
- Custom Cable Assemblies

W

Pasternack's PE4597 75 ohm BNC male connector clamp/solder attachment for RG6 is part of our full line of RF components available for same-day shipping.

2019-08-08 10:15:00 AM PST
3D ONT EBG FOR RI5 PLFB PLOOLP RERW DORZ GMLW FRB FXRPLJH
WLOFRARORLNLVRSBYGFRERGMLRMLPSOFKRP
FBOIVPEOFRRGDNHWRERARMRE3DENFQVRSEKOGREWRP
cable connector assemblies for you and ship same-day.

OFD6SFLFDRO

6LJH	
Length	1.2 in [30.48 mm]
LGW	LBP @
HW	OEVE @

OD6SFLFDRO

MFUSLRQ	OE	3ODD
Contact		Gold
Insulation	PTFE	
Body	Brass	Nickel
Coupling Nut	Brass	Nickel

OLFNWROORZOLNRESEHSEVLRERDGLWRQSDRDRCEOZLSUFH
LQGFVDRQ

75 Ohm BNC Male Connector Clamp/Solder Attachment for RG6 PE4597

